

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 5/18/2021 6:26:35 PM
To: Clark, Kevin [Clark.Kevin@epa.gov]
CC: **Nonresponsive based on revised scope**
BCC: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: Cover Feasibility Inquiry- Shiloh Church

Kevin,

The following factual corrections are necessary to this report

Ex. 5 Deliberative Process (DP)

Thank you
Chris

From: Clark, Kevin <clark.kevin@epa.gov>
Sent: Monday, May 17, 2021 12:18 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: Cover Feasibility Inquiry- Shiloh Church

Good afternoon Chris,

Attached is the draft limited evaluation report for the potential cover of the drum area at the Shiloh Church Rd. Site. I compared it against the spec requirements we drafted in the TD and while limited, it checks the boxes for the scope of work.

Please let me know if you would like them to include any additional information or consider any additional approaches for the next revision.

Thanks,
Kevin

Kevin Clark

On-Scene Coordinator
U.S. EPA Region III
1060 Chapline St
Wheeling, WV 26003
304-234-0271